

ANALYSIS REPORT

Report / Sample: A / 202502352

Reception date: 29/01/2025 Start Date Analysis: 29/01/2025
Date Issue Report: 04/02/2025 Final Date Analysis: 04/02/2025

Analyzed according to: EXTRA VIRGIN OLIVE OIL

Container's Type: 500 ml packaged glass

Ref. sample (information provided by the customer)

ACEITE DE OLIVA VIRGEN EXTRA ECOLOGICO BELVIS DE LAS NAVAS PARA LOS FORMATOS BOTELLA CERAMICA DE PIEDRA PINTADA Y SERIGRAFIADA 500ML / BOTTELLA CRISTA PINTA Y SERIGRAFIADA DOP 250ML Y BIB 5L. ACEITE FINCA CAMPAÑA 2024-2025 LOTE N° 240103 CADUCIDAD 20/01/2027

Description: Oil in closed container with inviolable cap

Applicant:



GUADYERBAS RIO VERDE, S.L.
FINCA LLANO DEL ALMENDRO CTRA. ISTAN KM 9,4
29611 Istán (Málaga)
Spain

Summary of pesticide results

All the parameters analyzed were less than the limit of quantification.

Analytical Results

Testing	Applicant	Units	Limits	Analytical technique	Testing method
Organoleptic Assessment					
Median of defect	0,0			Sensory analysis	COI/T.20/Doc. n.º 15. Rev. 11
Median fruity attribute	6,7			Sensory analysis	COI/T.20/Doc. n.º 15. Rev. 11
Classification panel test	Extra Virgin Olive Oil			Sensory analysis	COI/T.20/Doc. n.º 15. Rev. 11
Acidity (Cold method)	0,14 ±0,01	% oleic acid	≤ 0,80	Volumetry	COI/T.20/Doc. n.º 34. Rev. 1
Peroxide Index	4,2 ±0,8	meq O ₂ /Kg	≤ 20,0	Volumetry	COI/T.20/Doc. n.º 35. Rev. 1
Ultraviolet coefficients					
K232	1,98 ±0,24		≤ 2,50	Spectrophotometry	COI/T.20/Doc. n.º 19. Rev. 5
K270	0,18 ±0,03		≤ 0,22	Spectrophotometry	COI/T.20/Doc. n.º 19. Rev. 5
Delta-K	< 0,00		≤ 0,01	Spectrophotometry	COI/T.20/Doc. n.º 19. Rev. 5
Metylics Esteres of Fatty Acids					
Myristic Acid (C14:0)	0,01 ±0,01	%	≤ 0,03	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Palmitic acid (C16: 0)	12,25 ±0,49	%	7,00 - 20,00	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Palmitoleic acid (C16: 1)	1,03 ±0,07	%	0,30 - 3,50	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Margaric acid (C17:0)	0,11 ±0,02	%	≤ 0,40	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Margaroleic acid (C17:1)	0,16 ±0,02	%	≤ 0,60	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Stearic Acid (C18:0)	3,04 ±0,12	%	0,50 - 5,00	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Oleic acid (C18:1) with isomers	74,91 ±0,61	%	55,00 - 85,00	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Linoleic acid (C18:2) with isomers	6,75 ±0,20	%	2,50 - 21,00	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Linolenic acid (C18:3) with isomers	0,85 ±0,08	%	≤ 1,00	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Arachidic acid (C20:0)	0,43 ±0,04	%	≤ 0,60	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Gadoleic Acid (C20:1)	0,26 ±0,02	%	≤ 0,50	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Behenic Acid (C22:0)	0,12 ±0,02	%	≤ 0,20	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Lignoceric acid (C24:0)	0,07 ±0,02	%	≤ 0,20	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Sum of the transoleic isomers	< 0,02	%	≤ 0,05	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Sum of translinoleic + translinolenic isomers	< 0,02	%	≤ 0,05	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Sterols Composition					
Cholesterol	0,2 ±0,1	%	≤ 0,5	Gas chromatography	COI/T.20/Doc. n.º 26. Rev. 5
Brassicasterol	< 0,1	%	≤ 0,1	Gas chromatography	COI/T.20/Doc. n.º 26. Rev. 5
Campesterol	2,9 ±0,1	%	≤ 4,0	Gas chromatography	COI/T.20/Doc. n.º 26. Rev. 5

ANALYSIS REPORT

Report / Sample: A / 202502352

Testing	Applicant	Units	Limits	Analytical technique	Testing method
Stigmasterol	0,60 ±0,03	%	<Campesterol	Gas chromatography	COI/T.20/Doc. n.º 26. Rev. 5
β-Sitosterol apparent	95,4 ±1,9	%	≥ 93,0	Gas chromatography	COI/T.20/Doc. n.º 26. Rev. 5
Δ7-Stigmastenol	0,3 ±0,1	%	≤ 0,5	Gas chromatography	COI/T.20/Doc. n.º 26. Rev. 5
Total Sterols	1.653 ±149	mg/Kg	≥ 1.000	Gas chromatography	COI/T.20/Doc. n.º 26. Rev. 5
Erythrodiol +l Uvaol	1,9 ±0,3	%	≤ 4,5	Gas chromatography	COI/T.20/Doc. n.º 26. Rev. 5
Waxes	< 32	mg/Kg	≤ 150	Gas chromatography	COI/T.20/Doc. n.º 28. Rev. 4 Method A
Ethyl Esters	< 2	mg/Kg	≤ 35	Gas chromatography	COI/T.20/Doc. n.º 28. Rev. 4 Method A
ΔEcn42					
Real content	0,57			Liquid Chromatography	COI/T.20/Doc. n.º 20. Rev. 4
Theoretical content	0,42			Gas chromatography	COI/T.20/Doc. n.º 20. Rev. 4
Difference between the HPLC and theoretical content of triglycerides	0,15 ±0,05		≤ 0,20	Gas and liquid chromatography	COI/T.20/Doc. n.º 20. Rev. 4
Stigmastadienes	< 0,01	mg/Kg	≤ 0,05	Gas chromatography	COI/T.20/Doc. n.º 11. Rev. 4 Part A
Monopalmitate 2-glyceryl	0,5 ±0,1	%	≤0,9 if the % total palmitic acid is ≤14,00 % ≤1,0 if the % total palmitic acid is >14,00 %	Gas chromatography	COI/T.20/Doc. n.º 23. Rev. 1
Metals					
Lead	< 0,013	mg/Kg	≤ 0,10	ICP/MS	I.P. LAB-IT 129 based on FDA 02/2020 and in according to R. EEC 333/2007
Arsenic	< 0,013	mg/Kg	≤ 0,1	ICP/MS	I.P. LAB-IT 129 based on FDA 02/2020 and in according to R. EEC 333/2007
Iron	< 0,50	mg/Kg	≤ 3,0	ICP/MS	I.P. LAB-IT 129 based on FDA 02/2020 and in according to R. EEC 333/2007
Copper	< 0,025	mg/Kg	≤ 0,1	ICP/MS	I.P. LAB-IT 129 based on FDA 02/2020 and in according to R. EEC 333/2007
Cadmium	< 0,013	mg/Kg		ICP/MS	I.P. LAB-IT 129 based on FDA 02/2020 and in according to R. EEC 333/2007
Polycyclic aromatic hydrocarbons					
Benzo (a) anthracene	< 0,9	µg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 161 according to R. (CE) 333/07 and alterations later
Benzo (b) fluoranthene	< 0,9	µg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 161 according to R. (CE) 333/07 and alterations later
Crisene	< 0,9	µg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 161 according to R. (CE) 333/07 and alterations later
Benzo (a) pyrene	< 0,9	µg/Kg	2,0	GC/MS/MS QQQ	I.P. LAB-IT 161 according to R. (CE) 333/07 and alterations later
Σ A.P.H.	< 3,6	µg/Kg	10,0	GC/MS/MS QQQ	I.P. LAB-IT 161 according to R. (CE) 333/07 and alterations later
Pesticide residues by gas chromatography mass spectrometry (GC-MS/MS)					
2,4-D butyl ester	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
2,4-D methyl ester	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A / 202502352

Testing	Applicant	Units	Limits	Analytical technique	Testing method
2-Phenylphenol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
4-Phenylphenol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Aclonifen	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Biphenyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Bitertanol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Bromocyclen	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Acetochlor	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Acrinathrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Alachlor	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Anthraquinone	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Atrazine	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Atrazine-desisopropyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Benalaxyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Benfluralin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Bifenthrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Bromacil	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Bromophos ethyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Bromophos methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Bromopropylate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Bupirimate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Buprofezin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Butralin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Cadusafos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Captan	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Carbophenothion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Cyanophos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Cyfluthrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Cypermethrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Cyproconazol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Clodinafop-propargyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A / 202502352

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) Chlordane cis	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Chlordane trans	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Chlorfenapyr	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Chlorfenprop methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Chlorfenvinphos suma	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Chloroaniline	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Chloroneb	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Chlorothalonil	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Chlorpyrifos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Chlorpyrifos-methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Chlorthal-dimethyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Chlorthion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Chlzolinate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Kresoxim Methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
DDD-p,p' (TDE)	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) DDE-p,p'	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) DDT-p,p'	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Deltamethrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Desmetryn	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Diazinon	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Dichlobenil	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Dichlofenthion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Diclofop-methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Dicloran	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Dichlorvos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Dicofol 4,4' -	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Dicofol p,p	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Dieldrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Diphenylamine	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Difenoconazole	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A / 202502352

Testing	Applicant	Units	Limits	Analytical technique	Testing method
Diflufenican	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Dimethenamid	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Diniconazole	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Dinitramine	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Dinobuton	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Disulfoton	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Endosulfan alfa	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Endosulfan beta	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Endosulfan sulfate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Endrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Esfenvalerate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Ethafluralin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Ethion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Etofenprox	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Ethofumesate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Ethoxyquin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Etridiazole	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Etrimfos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Fenarimol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fenazaquin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Fenchlorphos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Fenitrothion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Fenothrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Fenoxaprop-p-ethyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Fenpropathrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Fenthion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Fenthoate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fenvalerate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Fipronil	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Fipronil-desulfinyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A / 202502352

Testing	Applicant	Units	Limits	Analytical technique	Testing method
Fluazifop-butyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Flucythrinate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fluchloralin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Fludioxonil	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Flusilazole	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Fonofos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Formothion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Fosmet	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Halfenprox	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
HCH alfa	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) HCH-beta	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
HCH-delta	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Heptachlor endo epoxide	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Heptachlor exo epoxide	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Heptenophos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Hexachlorobenzene	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Hexaconazole	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Iprodione	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Isodrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Lambda-Cyhalothrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Leptophos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Lindane-gamma	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Malathion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
MCPA-2-ethylhexyl ester	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
MCPA-methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
MCPB-methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Mecarbam	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Metalaxyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Methidathion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Methoxychlor	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A / 202502352

Testing	Applicant	Units	Limits	Analytical technique	Testing method
Metribuzin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Myclobutanil	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Mirex	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Molinate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Nitralin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Nitrofen	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Nitrothal-isopropyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Nuarimol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Oxadixyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Oxyfluorfen	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Parathion Ethyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Parathion Methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Pebulate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Penconazol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Pendimethalin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Pentachloroaniline	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Pentachlorobenzene	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Permetrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Pethoxamid	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Piperonyl-butoxide	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Pyrazophos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Pyridaben	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Pyridaphenthion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Pyrifenoxy	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Pyrimethanil	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Pirimiphos-ethyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Pirimiphos Methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Pyriproxyfen	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Procymidone	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Propham	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A / 202502352

Testing	Applicant	Units	Limits	Analytical technique	Testing method
Profenofos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Profluralin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Prometryn	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Propachlor	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Propargite	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Propazine	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Propetamphos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Propiconazol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Propyzamide	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Prothiofos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Quinalphos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Quinomethionate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Quinoxifen	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Quintozene	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) S 421	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Silafluofen	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Silthiofam	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Simazine	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Symetrine	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Sulfotep	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Fluvalinate tau	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Tebuconazole	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Tebufenpyrad	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Tecnacene	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Teflubenzuron	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Tefluthrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Terbucarb	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Terbufos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Terbumeton	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Terbuthylazine	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A / 202502352

Testing	Applicant	Units	Limits	Analytical technique	Testing method
Terbutryn	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Tetrachlorvinphos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Tetraconazole	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Tetradifon	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Tetramethrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Tetrasul	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Thiocyclam hydrogeneoxalate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Thiometon	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Tolclofos Methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Transfluthrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Triadimefon	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Trichloronat	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Triflumizol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Trifluralin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Vinclozolin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Iodofenphos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
Pesticide residues by liquid chromatography mass spectrometry (LC-MS/MS)					
(*) Abamectin	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Carbofuran 3-Hydroxy	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Acephate	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Acetamiprid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Acibenzolar-S-methyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Aldicarb sulfone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Aldicarb-sulfoxide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Aldicarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Atrazine-desisopropyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Azinphos-ethyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Azinphos-methyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Azoxystrobin	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Bendiocarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Benomyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A / 202502352

Testing	Applicant	Units	Limits	Analytical technique	Testing method
Benoxacor	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Bensulfuron-methyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Benthiavalicarb isopropyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Boscalid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Bromuconazol	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Butafenacil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Butocarboxim-sulfon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Butoxicarboxim	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Carbaryl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Carbendazim	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Carbofuran	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Carfentrazone-ethyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Cyanazine	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Cyantraniliprole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Cyazofamid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Cycloxydim	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Cyflufenamid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Cyflumetofen	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Cymoxanil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Cyprodinil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Clethodim	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Clofentezine	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Clomazone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Cloquintocet mexyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Chlorantraniliprole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Chloridazon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Chlorpropham	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Chlorsulfuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Chlortoluron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Clothianidin	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A / 202502352

Testing	Applicant	Units	Limits	Analytical technique	Testing method
Coumaphos	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Demeton-S-methyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Demeton-S-methyl sulfone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Demeton S-methylsulfóxide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Desmedipham	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Dichlofluanide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Dicrotophos	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Dietofencarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Diflubenzuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Dimethachlor	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Dimethoate	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Dimethomorph	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Dimoxystrobin	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Dinocap	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Disulfoton sulfone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Diuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Dodemorph	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Dodine	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Ediphenphos	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Epoxiconazol	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
EPTC	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Spirodiclofen	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Spiromesifen	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Spirotetramat	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Spiroxamine	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Etaconazole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Ethiofencarb sulfóxide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Ethiofencarb sulfone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Ethopabate	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Ethoprophos	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A / 202502352

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) Etoxazole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Famoxadone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Fenamidon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Fenamiphos	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Fenbuconazole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Fenhexamid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Phenmedipham	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Fenobucarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Fenoxycarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Fenpyroximate	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fenpropidin	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Fensulfothion	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fensulfothion oxon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Fensulfothion oxon sulfone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Fensulfothion sulfone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Fenuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Flonicamid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Florasulam	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Flubendiamide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Flufenacet	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Flufenoxuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Fluometuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Fluopicolide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Flupiram	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Fluquinconazole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Flurochloridone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Flutolanil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Flutriafol	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Florclorfenuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Phosalone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A / 202502352

Testing	Applicant	Units	Limits	Analytical technique	Testing method
Fosthiazate	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Phoxim	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Furalaxyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Haloxypop-2-ethoxyethyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Haloxypop-methyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Hexaflumuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Hexythiazox	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Imazalil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Imidacloprid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Indoxacarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Iprovalicarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Isoprocarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Isoprothiolane	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Isoproturon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Isopyrzazam	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Isoxaben	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Isoxadifen ethyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Isoxaflutole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Lenacil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Linuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Malaoxon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Mandipropamid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Mefenpyr diethyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Mepanipyrim	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Mepronil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Mesotrione	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Methabenzathuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Metaflumizone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Methamidophos	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Metamitron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A / 202502352

Testing	Applicant	Units	Limits	Analytical technique	Testing method
Metazachlor	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Methiocarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Methiocarb sulfone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Methiocarb sulfóxide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Metobromuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Metolachlor S	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Metolcarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Methomyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Methoprotryne	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Methoxyfenozide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Metoxuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Metrafenone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Monocrotophos	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Monolinuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Monuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Napropamide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Neburon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Norflurazon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Novaluron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Oryzalin	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Oxadialgyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Oxadiazon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Oxamyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Paclobutrazol	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Pencycuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Penthiopyrad	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Picolinafen	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Pyraclostrobin	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Pyraflufen Ethyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Pirimicarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A / 202502352

Testing	Applicant	Units	Limits	Analytical technique	Testing method
Pirimicarb-desmethyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Prochloraz	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Promecarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Propamocarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Propanil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Propaquizafop	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Propoxur	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Proquinazid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Prosulfocarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Quizalofop-ethyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Rimsulfuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Rotenone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Spinetoram	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Spinosad (A+D)	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Tebufenozide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Terbacil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Terbufos sulfone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Terbufos sulfoxide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Thiabendazole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Thiacloprid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Thiamethoxam	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Thiazopyr	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Thiobencarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Thiodicarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Thiophanate-methyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Tolfenpyrade	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Tolyfluanide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Triadimenol	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Tricyclazole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Trichlorfon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A / 202502352

Testing	Applicant	Units	Limits	Analytical technique	Testing method
Trifloxystrobin	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Triflumuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Triforine	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Valifenalate	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Vamidothion	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Zoxamide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Phthalates					
(*) 2-butoxy-ethyl phthalate (DBEP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Benzyl benzoate	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Bis (2-ethylhexyl) phthalate (DEHP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Bis iso-butyl phthalate (DIBP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Butyl-benzyl phthalate (BBzP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Di 2-etoxy-ethyl phthalate (DEEP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Di 2-metoxiethyl phthalate (DMEP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Di cyclo-hexyl phthalate (DCHP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Di ethyl phthalate (DEP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Di isodecyl phthalate (DIDP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Di isoheptyl phthalate (DIHP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Di isononyl phthalate (DINP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Di methyl phthalate (DMP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Di n-butyl phthalate (DnBP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Di n-hexyl phthalate (DNHP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Di n-nonyl phthalate (DNP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Di n-octyl phthalate (DNOP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Di n-pentyl phthalate (DNHP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) Hexyl-ethylhexyl Phthalate (HEHP)	< 0,10	mg/Kg		GC-MS/MS	I.P. LAB-IT 175 according to EUR 23682 EN 2009
(*) MOSH					
(*) C10 - C16	< 0,50	mg/Kg		HPLC-GC-FID online	I.P. LAB-IT 177 based on UNE-EN ISO 20122:2024
(*) C16 - C20	< 0,50	mg/Kg		HPLC-GC-FID online	I.P. LAB-IT 177 based on UNE-EN ISO 20122:2024
(*) C20 - C25	1,07 ±0,25	mg/Kg		HPLC-GC-FID online	I.P. LAB-IT 177 based on UNE-EN ISO 20122:2024
(*) C25 - C35	6,06 ±1,39	mg/Kg		HPLC-GC-FID online	I.P. LAB-IT 177 based on UNE-EN ISO 20122:2024

ANALYSIS REPORT


Report / Sample: A / 202502352

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) C35 - C40	1,03 ±0,24	mg/Kg		HPLC-GC-FID online	I.P. LAB-IT 177 based on UNE-EN ISO 20122:2024
(*) C40 - C50	< 0,50	mg/Kg		HPLC-GC-FID online	I.P. LAB-IT 177 based on UNE-EN ISO 20122:2024
(*) Total MOSH C10 to C50	8,48 ±1,95	mg/Kg		HPLC-GC-FID online	I.P. LAB-IT 177 based on UNE-EN ISO 20122:2024
(*) MOAH					
(*) C10 - C16	< 1,00	mg/Kg		HPLC-GC-FID online	I.P. LAB-IT 177 based on UNE-EN ISO 20122:2024
(*) C16 - C20	< 1,00	mg/Kg		HPLC-GC-FID online	I.P. LAB-IT 177 based on UNE-EN ISO 20122:2024
(*) C20 - C25	< 1,00	mg/Kg		HPLC-GC-FID online	I.P. LAB-IT 177 based on UNE-EN ISO 20122:2024
(*) C25 - C35	< 1,00	mg/Kg		HPLC-GC-FID online	I.P. LAB-IT 177 based on UNE-EN ISO 20122:2024
(*) C35 - C50	< 1,00	mg/Kg		HPLC-GC-FID online	I.P. LAB-IT 177 based on UNE-EN ISO 20122:2024
(*) Total MOAH C10 to C50	< 1,00	mg/Kg		HPLC-GC-FID online	I.P. LAB-IT 177 based on UNE-EN ISO 20122:2024
Mercury	< 0,013	mg/Kg		ICP/MS	I.P. LAB-IT 129 based on FDA 02/2020 and in according to R. EEC 333/2007
(*) Nutritional composition per 100 ml.					
(*) Saturated fats	14,65	g			Internal procedure
(*) Monounsaturated fats	69,80	g			Internal procedure
(*) Polyunsaturated fats	6,95	g			Internal procedure
(*) Energy value (Kcal-Kj)	823-3382	Kcal-Kj			Internal procedure
(*) Carbohydrates	<0,1	g			Internal procedure
(*) Proteins	<0,1	g			Internal procedure
(*) Salt (NaCl)	<0,1	g			Internal procedure
(*) Total sugars	<0,1	g			Internal procedure
Pyropheophytin	< 0,5	%		Liquid Chromatography	I.P. LAB-IT 160 based on ISO 29841:2009/Amd 1:2016
Determination of diacylglycerols					
1,2 Diglycerides	91 ±4	%		Gas chromatography	I.P. LAB-IT 159 based on UNE-EN ISO 29822:2014
1,3 Diglycerides	9 ±1	%		Gas chromatography	I.P. LAB-IT 159 based on UNE-EN ISO 29822:2014
(*) Density at 20° C	914	g/l		Aerometry	Internal procedure

ANALYSIS REPORT

Report / Sample: A / 202502352

Product photos



These results only correspond to the sample analyzed.

This report should not be reproduced without the written authorization of the test laboratory, and it will only be valid if the original signature is included in it.

Laboratory certified by AENOR for the Spanish Standard UNE-EN ISO 9001:2015/A1:2024 with certificate number: ER-0331/2024.

The estimated uncertainty, in quantitative methods, is found next to the result of the signed test $\pm$, for a confidence level of 95% ($k = 2$), expressed in absolute value. If it is not indicated in the report, it is estimated and available to the client who requests it.

Laboratorio Agroalimentario Industrial S.L., complies with the legislation on data protection, in accordance with the provisions of Organic Law 3/2018 of December 5.

Laboratorio Agroalimentario Industrial S.L. (Indlab) has no responsibility for the denomination made by the client of the sample sent, nor for all the information that appears in the field 'Ref. sample (information provided by the client)' on page 1 of the report and this information is not covered by accreditation.

P.I. = Internal procedure.

The description showing at the head of the page 1 of this report refers to the visual description that the laboratory makes of the sample received.

This newsletter is valid only on computer support. All reproduction on paper is considered a copy.

The analysis results are expressed uncorrected.

Limits are established according Annex I Delegated Regulation (EU) 2022/2104 of 29 July and subsequent modifications, Royal Decree 308/1983 of 25 January and subsequent modifications, Commission Regulation (EC) No 333/2007 of 28 March and subsequent modifications, Commission Regulation (EU) 2023/915 of 25 April and subsequent modifications and COI/T.15/NC No 3. The classification of the organoleptic assessment has been carried out according to the characteristics described in Delegated Regulation (EU) 2022/2104 of 29 July and subsequent modifications.

Click on this text to check the Maximum Residue Limits of pesticides according to Regulation (EC) 396/2005 and subsequent modifications.

The result for 'Polycyclic Aromatic Hydrocarbons' is corrected for recovery in validation according to the range, and is available to the customer on request.

The accredited analyses have been performed under ENAC scope No. 1089/LE2141. The comments and evaluations are outside this scope.

Document digitally signed by
Beatriz Venegas González